




QTY. -041	QTY. -043	QTY. -045	PART NUMBER	DESCRIPTION
X			D3137-041	BRACKET ASSEMBLY
	X		D3137-043	BRACKET ASSEMBLY
		X	D3137-045	BRACKET ASSEMBLY
1			D3137-1	BRACKET
1	1	1	D3137-3	GUIDE
1	1	1	D3137-5	WASHER
	1		D3137-7	BRACKET
		1	D3137-9	BRACKET
1	1	1	MS24694-S101	SCREW



D3137-041 BRACKET ASSEMBLY



D3137-043 BRACKET ASSEMBLY




D3137-045 BRACKET ASSEMBLY




- NOTES:**
1) MATERIAL: N/A
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: N/A
6) IDENTIFICATION: N/A
7) WEIGHT: 0.18 lbs -041
 : 0.32 lbs -043
 : 0.27 lbs -045

RELEASED
08.06.26



DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D3137	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BRACKET ASSEMBLY	NTS
DATE	08.05.30	COPYRIGHT © 2002 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D3137-1 BRACKET



D3137-7 BRACKET




NOTES:




- 1) MATERIAL: -1 & -7
17-4PH STAINLESS STEEL
PER AMS 5604 OR 5643
MIN ULTIMATE TENSILE = 150 ksi
MIN YIELD TENSILE = 100 ksi
PER DART SPEC. M17-4-B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: ENGRAVE DART LOGO USING 0.20 HIGH LETTERS & P/N WITH USING .15 HIGH LETTERS TO A MAX. DEPTH OF 0.010.
- 7) SCRIBE WITH DART B/N USING VIBRATING STYLUS
- 8) WEIGHT: SEE ASSEMBLED WEIGHT ON SHEET 2
- 9) -1 REPLACES PREMIER P/N B30-23000-105/-106

RELEASED
08-06-26


DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D3137	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BRACKET ASSEMBLY	NTS
DATE	08.05.30	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D3137-9 BRACKET




DETAIL A
(SLOT DETAIL)



DETAIL B
(SLOT DETAIL)



SECTION C-C
(SLOT DETAIL)



DETAIL D
SCALE 2X
(TYPICAL RIDGE DETAIL)

RELEASED
08.06.30

NOTES:

- 1) MATERIAL: 17-4PH STAINLESS STEEL
PER AMS 5604 OR 5643
MIN ULTIMATE TENSILE = 150 ksi
MIN YIELD TENSILE = 100 ksi
PER DART SPEC. M17-4-B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: ENGRAVE DART LOGO USING 0.20 HIGH LETTERS & P/N WITH USING .15 HIGH LETTERS TO A MAX. DEPTH OF 0.010.
- 7) SCRIBE WITH DART B/N USING VIBRATING STYLUS
- 8) WEIGHT: SEE ASSEMBLED WEIGHT ON SHEET 2
- 9) REPLACES PREMIER P/N B30-23000-105/-106

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D3137	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BRACKET ASSEMBLY	NTS
DATE	08.05.30	<small>COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8

7

6






5

4

3

2

1

**D3137-3 GUIDE****D3137-5 WASHER****NOTES:**

1) MATERIAL: -3

DELFIN II 150E OR ACETRON GP ACETAL, BAR
(REF DART SPEC M-DELFIN-B)

-5

6061-T6 (OR 6061-T651/ T6510/ T6511/ T62) ALUMINUM BAR
PER-AMS-QQ-A-225/8 (OR AMS 4117/ 4128/ 4145/ 4116)
OR PER-QQ-A-200/8 (OR AMS 4160)
REF. DART SPEC M6061T6R

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 (-5 ONLY)

3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

4) UNITS: INCHES UNLESS OTHERWISE NOTED

5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX

6) IDENTIFICATION: NONE

7) WEIGHT: SEE ASSEMBLED WEIGHT ON SHEET 2

8) -3 REPLACES PREMIER P/N B30-2300-207

-5 REPLACES PREMIER P/N B30-2300-209

RELEASED
080702/14

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. F
MFG. APPR.		D3137	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BRACKET ASSEMBLY	NTS
DATE	08.05.30	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	